

Chapter 449

One-Sample Z-Tests for Superiority by a Margin

Introduction

This procedure computes power and sample size for superiority by a margin tests in one-sample designs in which the outcome is distributed as a normal random variable and the standard deviation is known. This includes the analysis of the differences between paired values.

The details of sample size calculation for the one-sample design are presented in the One-Sample Z-Tests chapter and they will not be duplicated here. This chapter only discusses those changes necessary for superiority by a margin tests. Sample size formulas for superiority by a margin tests of a single mean are presented in Chow et al. (2018) page 43.

The *one-sample z-test* is used to test whether a population mean is different from a specific value. When the data are differences between paired values, this test is known as the *paired z-test*.

Paired Designs

Paired data may occur because two measurements are made on the same subject or because measurements are made on two subjects that have been matched according to other variables. Hypothesis tests on paired data can be analyzed by considering the difference between the paired items as the response. The distribution of differences is usually symmetric. In fact, the distribution must be symmetric if the individual distributions of the two items are identical. Hence, the paired *z-test* is appropriate for paired data even when the distributions of the individual items are not normal.

In paired designs, the variable of interest is the difference between two individual measurements. Although the superiority hypothesis refers to the difference between two individual means, the actual values of those means are not needed. All that is needed is their difference.

The Statistical Hypotheses

Both non-inferiority and superiority tests are examples of directional (one-sided) tests and their power and sample size could be calculated using the One-Sample Z-Tests procedure. However, at the urging of our users, we have developed this procedure which provides the input and output options that are convenient for superiority hypotheses. This section will review the specifics of superiority testing.

Remember that in the usual *z-test* setting, the null (H_0) and alternative (H_1) hypotheses for one-sided upper-tail tests are defined as

$$H_0: \mu \leq \mu_0 \quad \text{versus} \quad H_1: \mu > \mu_0$$

Rejecting H_0 implies that the mean is larger than the value μ_0 . This test is called an *upper-tail test* because H_0 is rejected in samples in which the sample mean is larger than μ_0 .

One-Sample Z-Tests for Superiority by a Margin

The *lower-tail test* is

$$H_0: \mu \geq \mu_0 \quad \text{versus} \quad H_1: \mu < \mu_0$$

Superiority by a margin tests are special cases of the above directional tests. It will be convenient to adopt the following specialize notation for the discussion of these tests.

<u>Parameter</u>	<u>PASS Input/Output</u>	<u>Interpretation</u>
μ	μ	<i>Population mean.</i> If the data are paired differences, this is the mean of those differences. This parameter will be estimated by the study.
μ_1	$\mu 1$	<i>Actual population mean at which power is calculated.</i> This is the assumed population mean used in all calculations.
μ_0	$\mu 0$	<i>Non-Inferiority Mean.</i> This is the smallest (or largest) value of the mean for which the new treatment will still be considered non-inferior to the reference.
μ_R	μR	<i>Reference value.</i> Usually, this is the mean of a reference population. If the data are paired differences, this is the hypothesized value of the mean difference.
M_S	SM	<i>Margin of superiority.</i> This is a tolerance value that defines the magnitude of difference that is not of practical importance. This may be thought of as the smallest difference from the reference value that is considered to be of practical significance. This value is assumed to be a positive number.

Superiority by a Margin Tests

A *superiority by a margin test* tests that the mean is better than that of the baseline (reference) population by more than a small superiority margin. The actual direction of the hypothesis depends on the whether higher values of the response are good or bad.

Case 1: High Values Good

In this case, higher values are better. The hypotheses are arranged so that rejecting the null hypothesis implies that the mean is greater than the reference value by at least the margin of superiority.

Equivalent sets of the null and alternative hypotheses are

$$\begin{aligned} H_0: \mu \leq \mu_0 & \quad \text{versus} \quad H_1: \mu > \mu_0 \\ H_0: \mu \leq \mu_R + M_S & \quad \text{versus} \quad H_1: \mu > \mu_R + M_S \\ H_0: \mu - \mu_R \leq M_S & \quad \text{versus} \quad H_1: \mu - \mu_R > M_S \end{aligned}$$

Case 2: High Values Bad

In this case, lower values are better. The hypotheses are arranged so that rejecting the null hypothesis implies that the mean is less than the reference value by at least the margin of superiority.

Equivalent sets of the null and alternative hypotheses are

$$\begin{aligned} H_0: \mu \geq \mu_0 & \quad \text{versus} \quad H_1: \mu < \mu_0 \\ H_0: \mu \geq \mu_R - M_S & \quad \text{versus} \quad H_1: \mu < \mu_R - M_S \\ H_0: \mu - \mu_R \geq -M_S & \quad \text{versus} \quad H_1: \mu - \mu_R < -M_S \end{aligned}$$

One-Sample Z-Tests for Superiority by a Margin

Example

A superiority test example will set the stage for the discussion of the terminology that follows. Suppose that a test is to be conducted to determine if a new cancer treatment substantially improves the mean bone density. The adjusted mean bone density (AMBD) in the population of interest is 0.002300 gm/cm with a standard deviation of 0.000300 gm/cm. Clinicians decide that if the treatment increases AMBD by more than 5% (0.000115 gm/cm), it provides a significant health benefit.

The hypothesis of interest is whether the AMBD in the treated group is greater than $0.002300 + 0.000115 = 0.002415$. The statistical test will be set up so that if the null hypothesis that the AMBD is greater than or equal to 0.002415 is rejected, the conclusion will be that the new treatment is superior, at least in terms of AMBD. The value 0.000115 gm/cm is called the *margin of superiority*.

One-Sample Z-Test Statistic

The one-sample z -test assumes that the data are a simple random sample from a population of normally-distributed values that all have the same mean and variance. This assumption implies that the data are continuous and their distribution is symmetric. The calculation of the z -test proceeds as follows

$$z = \frac{\bar{X} - \mu_0}{\sigma/\sqrt{n}}$$

where

$$\bar{X} = \frac{\sum_{i=1}^n X_i}{n}$$

and μ_0 is the value of the mean hypothesized by the null hypothesis that incorporates both μ_R and M_S .

The significance of the test statistic is determined by computing the p-value. If this p-value is less than a specified level (usually 0.05), the hypothesis is rejected. Otherwise, no conclusion can be reached.

Power Calculation for the One-Sample Z-Test

When the standard deviation is known, the power is calculated as follows for a directional alternative (one-tailed test) in which $\mu_1 > \mu_0$.

1. Find z_α such that $1 - \Phi(z_\alpha) = \alpha$, where $\Phi(x)$ is the area to the left of x under the standardized normal curve.
2. Calculate: $X_1 = \mu_0 + z_\alpha \frac{\sigma}{\sqrt{n}}$.
3. Calculate: $z_1 = \frac{X_1 - \mu_1}{\frac{\sigma}{\sqrt{n}}}$.
4. Power = $1 - \Phi(z_1)$.

Procedure Options

This section describes the options that are specific to this procedure. These are located on the Design tab. For more information about the options of other tabs, go to the Procedure Window chapter.

Design Tab

The Design tab contains most of the parameters and options that will be of interest.

Solve For

Solve For

This option specifies the parameter to be calculated from the values of the other parameters. Under most conditions, you would select either *Power* or *Sample Size*.

Select *Sample Size* when you want to determine the sample size needed to achieve a given power and alpha error level.

Select *Power* when you want to calculate the power.

Test

Higher Means Are

This option defines whether higher values of the response variable are to be considered better or worse. The choice here determines the direction of the superiority test.

- **Better (H1: $\mu > \mu_0$)**

If higher means are Better the null hypothesis is $H_0: \mu \leq \mu_0$, and the alternative hypothesis is $H_1: \mu > \mu_0$.

$\mu_0 = \mu_R + SM$, where μ_R is the baseline, standard, or reference mean and SM is the margin of superiority.

- **Worse (H1: $\mu < \mu_0$)**

If higher means are Worse the null hypothesis is $H_0: \mu \geq \mu_0$, and the alternative hypothesis is $H_1: \mu < \mu_0$.

$\mu_0 = \mu_R - SM$, where μ_R is the baseline, standard, or reference mean and SM is the margin of superiority.

Population Size

This is the number of subjects in the population. Usually, you assume that samples are drawn from a very large (infinite) population. Occasionally, however, situations arise in which the population of interest is of limited size. In these cases, appropriate adjustments must be made.

When a finite population size is specified, the standard deviation is reduced according to the formula:

$$\sigma_1^2 = \left(1 - \frac{n}{N}\right) \sigma^2$$

where n is the sample size, N is the population size, σ is the original standard deviation, and σ_1 is the new standard deviation.

The quantity n/N is often called the sampling fraction. The quantity $\left(1 - \frac{n}{N}\right)$ is called the *finite population correction factor*.

One-Sample Z-Tests for Superiority by a Margin

Power and Alpha

Power

This option specifies one or more values for power. Power is the probability of rejecting a false null hypothesis, and is equal to one minus Beta. Beta is the probability of a type-II error, which occurs when a false null hypothesis is not rejected.

Values must be between zero and one. Historically, the value of 0.80 (Beta = 0.20) was used for power. Now, 0.90 (Beta = 0.10) is also commonly used.

A single value may be entered here or a range of values such as *0.8 to 0.95 by 0.05* may be entered.

Alpha

This option specifies one or more values for the probability of a type-I error. A type-I error occurs when a true null hypothesis is rejected.

Values must be between zero and one. Historically, the value of 0.05 has been used for alpha. This means that about one test in twenty will falsely reject the null hypothesis. You should pick a value for alpha that represents the risk of a type-I error you are willing to take in your experimental situation.

You may enter a range of values such as *0.01 0.05 0.10* or *0.01 to 0.10 by 0.01*.

Sample Size

N (Sample Size)

This option specifies one or more values of the sample size, the number of individuals in the study. This value must be an integer greater than one. You may enter a list of values using the syntax *50 100 150 200 250* or *50 to 250 by 50*.

Effect Size – Means

μ_0 (Superiority Mean)

Enter a value (or range of values) for the superiority mean. Since higher means are better, this is the smallest value of the mean for which the new treatment will be considered superior to the reference.

Define μ_R as the baseline, standard, or reference mean and NIM as the margin of non-inferiority. When higher means are better, the superiority mean is calculated as $\mu_0 = \mu_R + SM$ and μ_0 can be any number that satisfies $\mu_0 < \mu_1$. When higher means are worse, the superiority mean is calculated as $\mu_0 = \mu_R - SM$ and μ_0 can be any number that satisfies $\mu_0 > \mu_1$.

μ_1 (Actual Mean)

Enter a value (or range of values) for the actual mean at which power and sample size are calculated. Care should be taken that this value is consistent with whether higher means are better or worse. $\mu_1 > \mu_0$ when higher means are better. $\mu_1 < \mu_0$ when higher means are worse.

Effect Size – Standard Deviation

σ (Standard Deviation)

This option specifies one or more values of the standard deviation. This must be a positive value. Be sure to use the standard deviation of X and not the standard deviation of the mean (the standard error). If you are doing a paired test, this is the standard deviation of the differences.

When this value is not known, you must supply an estimate of it. **PASS** includes a special tool for estimating the standard deviation. This tool may be loaded by pressing the *SD* button. Refer to the Standard Deviation Estimator chapter for further details.

One-Sample Z-Tests for Superiority by a Margin

Example 1 – Power Analysis

Suppose that a test is to be conducted to determine if a new cancer treatment improves the mean bone density. The adjusted mean bone density (AMBD) in the population of interest (μ_R) is 0.002300 gm/cm with a standard deviation of 0.000300 gm/cm. Clinicians decide that if the treatment increases AMBD by more than 5% ($M_S = 0.000115$ gm/cm such that $\mu_0 = \mu_R + M_S = 0.002415$), it generates a significant health benefit. They also want to consider what would happen if the margin of superiority is set to 2.5% (0.0000575 gm/cm such that $\mu_0 = \mu_R + M_S = 0.0023575$).

The analysis will be a superiority test using the z -test at the 0.025 significance level. Power is to be calculated assuming that the new treatment has 7.5% improvement on AMBD ($\mu_1 = 0.0024725$). Several sample sizes between 20 and 300 will be analyzed. The researchers want to achieve a power of at least 90%. All numbers have been multiplied by 10000 to make the reports and plots easier to read.

Setup

This section presents the values of each of the parameters needed to run this example. First, from the PASS Home window, load the **One-Sample Z-Tests for Superiority by a Margin** procedure window by expanding **Means**, then **One Mean**, then clicking on **Superiority by a Margin**, and then clicking on **One-Sample Z-Tests for Superiority by a Margin**. You may then make the appropriate entries as listed below, or open **Example 1** by going to the **File** menu and choosing **Open Example Template**.

<u>Option</u>	<u>Value</u>
Design Tab	
Solve For	Power
Higher Means Are.....	Better (H1: $\mu > \mu_0$)
Population Size.....	Infinite
Alpha.....	0.025
N (Sample Size).....	20 40 60 80 100 150 200 300
μ_0 (Superiority Mean)	23.575 24.15
μ_1 (Actual Mean)	24.725
σ (Standard Deviation)	3

Annotated Output

Click the Calculate button to perform the calculations and generate the following output.

Numeric Results

Higher Means are Better

Hypotheses: $H_0: \mu \leq \mu_0$ vs. $H_1: \mu > \mu_0$

		Superiority Mean μ_0	Actual Mean μ_1	Standard Deviation σ	Alpha	Beta
Power	N					
0.40298	20	23.575	24.725	3.0	0.025	0.59702
0.67884	40	23.575	24.725	3.0	0.025	0.32116
0.84359	60	23.575	24.725	3.0	0.025	0.15641
0.92904	80	23.575	24.725	3.0	0.025	0.07096
0.96949	100	23.575	24.725	3.0	0.025	0.03051
0.99688	150	23.575	24.725	3.0	0.025	0.00312
0.99973	200	23.575	24.725	3.0	0.025	0.00027
1.00000	300	23.575	24.725	3.0	0.025	0.00000
0.13506	20	24.150	24.725	3.0	0.025	0.86494
0.22730	40	24.150	24.725	3.0	0.025	0.77270
0.31728	60	24.150	24.725	3.0	0.025	0.68272

(report continues)

One-Sample Z-Tests for Superiority by a Margin

Report Definitions

Power is the probability of rejecting the null hypothesis when it is false. It should be close to one.

N is the sample size, the number of subjects (or pairs) in the study.

$\mu_0 = \mu_R + SM$ is the superiority mean since higher means are better, where μ_R is the baseline, standard, or reference mean and SM is the margin of superiority.

μ_1 is the actual value of the population mean at which power and sample size are calculated.

σ is the standard deviation of the response (or standard deviation of differences for paired data). It measures the variability in the population.



Alpha is the probability of rejecting the null hypothesis when it is true, which is the probability of a false positive.

Beta is the probability of accepting the null hypothesis when it is false, which is the probability of a false negative.

Summary Statements

A sample size of 20 achieves 40% power to detect superiority using a one-sided one-sample z-test when the superiority mean is 23.575 and the actual mean is 24.725. The data are drawn from a single population with a known standard deviation of 3.0. The significance level (alpha) of the test is 0.025.

Chart Section



The above report shows that for $\mu_0 = 24.15$ ($SM = 1.15$), the sample size necessary to obtain 90% power is just under 300. However, if $\mu_0 = 23.575$ ($SM = 0.575$), the required sample size is about 70.

One-Sample Z-Tests for Superiority by a Margin

Example 2 – Finding the Sample Size

Continuing with Example 1, the researchers want to know the exact sample size for each value of SM to achieve 90% power.

Setup

This section presents the values of each of the parameters needed to run this example. First, from the PASS Home window, load the **One-Sample Z-Tests for Superiority by a Margin** procedure window by expanding **Means**, then **One Mean**, then clicking on **Superiority by a Margin**, and then clicking on **One-Sample Z-Tests for Superiority by a Margin**. You may then make the appropriate entries as listed below, or open **Example 2** by going to the **File** menu and choosing **Open Example Template**.

<u>Option</u>	<u>Value</u>
Design Tab	
Solve For	Sample Size
Higher Means Are	Better (H1: $\mu > \mu_0$)
Population Size	Infinite
Power	0.90
Alpha	0.025
μ_0 (Superiority Mean)	23.575 24.15
μ_1 (Actual Mean)	24.725
σ (Standard Deviation)	3

Output

Click the Calculate button to perform the calculations and generate the following output.

Numeric Results

Numeric Results						
Higher Means are Better						
Hypotheses: $H_0: \mu \leq \mu_0$ vs. $H_1: \mu > \mu_0$						
		Superiority Mean μ_0	Actual Mean μ_1	Standard Deviation σ	Alpha	Beta
Power	N					
0.90195	72	23.575	24.725	3.0	0.025	0.09805
0.90097	287	24.150	24.725	3.0	0.025	0.09903

This report shows the exact sample size requirement for each value of μ_0 .

Example 3 – Validation

This procedure uses the same mechanics as the One-Sample Z-Tests for Non-Inferiority procedure. We refer the user to Example 3 of Chapter 415 for the validation.